

Changelog for mr11.2.1

ID	Category	Summary	Target Releases
Category: Bugfix			
56743	Bugfix	Fix ncos_set preference UI in the new admin interface	mr11.2.1.3, mr11.2.2, mr11.3.1
56453	Bugfix	Wrong P-Asserted-identity parsing if PAI already contains ";user=phone" URI param	mr11.1.1.39, mr11.1.2, mr11.2.1.3, mr11.2.2, mr11.3.1
56420	Bugfix	fix SRTP key context mixup	mr10.5.4, mr11.1.2, mr11.2.1, mr11.2.2, mr11.3.1
56482	Bugfix	Remove deprecated files in /etc/ngcp-config	mr10.5.4, mr11.2.1.2, mr11.3.1
56347	Bugfix	The 'alias=' value set in Contact by end user needs to be kept in the ACK/BYE R-URI	mr10.5.1.53, mr10.5.3.3, mr10.5.4, mr11.1.1.40, mr11.1.2, mr11.2.1.6, mr11.2.2, mr11.3.1
55283	Bugfix	Various rtpengine fixes	mr7.5.14, mr8.5.10, mr9.5.6, mr9.5.7, mr10.1.2, mr10.5.2.27, mr10.5.3, mr10.5.4, mr11.0.2, mr11.1.1, mr11.1.1.19, mr11.1.2, mr11.2.1, mr11.3.1
56463	Bugfix	ngcp-update fails if schema related to credentials.mysql has changed	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1.2, mr11.2.2, mr11.3.1
56154	Bugfix	When proxy receive INVITE from CQ with CLIR=1, it does not perform anonymization	mr9.5.7, mr10.5.3, mr11.1.2, mr11.2.1
55858	Bugfix	Kamailio generate acc record entry that generate mediator error	mr11.2.1, mr11.3.1
56058	Bugfix	Sems-pbx was crashing almost constantly for a period of time	mr9.5.6.3, mr9.5.7, mr10.5.1.12, mr10.5.3.4, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1, mr11.3.1
56653	Bugfix	3PCC re-invite due to the moh is changing Opus and Opus telephone-event RTP payload id	mr11.1.1.9, mr11.1.2, mr11.2.1.4, mr11.2.2, mr11.3.1
56244	Bugfix	SBCReplicatedCallLeg::processingCycle with no 'local_tag' (sems crash)	mr10.5.1.12, mr10.5.2.5, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1
56613	Bugfix	Pseudo-variable \$ulc(exp=>aor) only contains userpart in event_route[usrloc:contact-expired]	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1.2, mr11.2.2, mr11.3.1
56506	Bugfix	[CSC] The primary number reported in CF setting of a seat is not correct	mr11.2.1.3, mr11.2.2, mr11.3.1
			mr10.5.1.4, mr10.5.2.2, mr10.5.3, mr10.5.4, mr11.0.1.2,

55628	Bugfix	prevent mediator shutdown on broken rows	mr11.0.2, mr11.1.1.2, mr11.1.2, mr11.2.1, mr11.2.2, mr11.3.1
55861	Bugfix	Debian/bookworm: Update Grml ISO	mr11.2.1, mr11.3.1
56509	Bugfix	COLP is set to Caller in case of CF scenario, even if caller is not a PBX user	mr11.1.1.38, mr11.1.2, mr11.2.1.2, mr11.2.2, mr11.3.1
56535	Bugfix	ngcpcfg set neglects decimal part of a float number	mr11.1.1.4, mr11.1.2, mr11.2.1, mr11.2.1.2, mr11.2.2, mr11.3.1
56327	Bugfix	ngcp-log-flow not working when -f option is added.	mr10.5.2.4, mr10.5.3.3, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1, mr11.3.1
56406	Bugfix	ngcp-status reports about LA	mr8.5.11, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1, mr11.2.1.2, mr11.2.2, mr11.3.1
56019	Bugfix	Upgrade to mr10.5 fails - can't merge config.yml commits	mr10.5.3, mr10.5.3.2, mr10.5.3.4, mr10.5.3.5, mr10.5.3.7, mr10.5.4, mr11.2.1, mr11.3.1
56208	Bugfix	Subscribers cannot see cfdestinationsets or cftimesets created by the subscriber's admin	mr11.2.1
56446	Bugfix	[Rainbow Voice] WebClient: "Office phone mode" cannot be selected since it is greyed	mr10.5.1.3, mr10.5.2.3, mr10.5.3.2, mr10.5.4, mr11.0.1.3, mr11.0.2, mr11.1.1.4, mr11.1.2, mr11.2.1, mr11.3.1
56467	Bugfix	Eventapi missing bye event after FailedEvent/timeout during transfer	mr11.1.1.37, mr11.1.2, mr11.2.1, mr11.3.1
55876	Bugfix	Search feature on Customer does not work correctly using v2 UI	mr10.5.1.11, mr10.5.2.10, mr10.5.3.4, mr10.5.4, mr11.1.1.9, mr11.1.2, mr11.2.1, mr11.3.1
55917	Bugfix	Debian/bookworm: asterisk-voicemail + codec_g729 in wrong directory + lack of chan_sip	mr11.2.1
56402	Bugfix	Keydb is missing in monit	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
55579	Bugfix	SSH connections not closed and running without permission exception	mr10.5.2.3, mr10.5.3.2, mr10.5.4, mr11.1.1.2, mr11.1.2, mr11.2.1
56193	Bugfix	NPN and UPN lost after CF+CQ	mr10.5.2.30, mr10.5.3, mr11.1.1.22, mr11.1.2, mr11.2.1
56110	Bugfix	Unable to finalise ngcp-initial-configuration	mr10.5.4, mr11.2.1, mr11.3.1
55934	Bugfix	interconnection test SS_hold_0x: "recvonly"™ is changed to "sendrecv"™ on resuming held call	mr9.5.5.2, mr9.5.5.4, mr9.5.5.5, mr9.5.6.2, mr9.5.7, mr10.5.3.3, mr10.5.4, mr11.1.1.4, mr11.1.2, mr11.2.1
55912	Bugfix	Debian/bookworm: ngcp-installer fails to run in PRO due to HA problems	mr11.2.1

56425	Bugfix	Fix typo in new config parameter tpcc.identifier_suffix	mr11.2.1, mr11.3.1
55632	Bugfix	[CRRRAINB-29650][Cloud Telephony]3PCC makecall + CFnoReply + CFnoReply : wrong sip device display on caller	mr11.1.1.36, mr11.1.2, mr11.2.1, mr11.3.1
56123	Bugfix	swap ID modulus offsets with rate-o-mat ha_mode	mr11.2.1
54959	Bugfix	Welcome + serial hunt group - no announcement if no answer	mr10.5.1.46, mr10.5.2.19, mr10.5.3, mr11.0.1.26, mr11.0.2, mr11.1.1.3, mr11.1.2, mr11.2.1
32990	Bugfix	AUI: Remove "Sip Call flow" from CE	mr10.5.1.4, mr10.5.2.3, mr10.5.3, mr11.1.1.2, mr11.1.2, mr11.2.1
55000	Bugfix	TT#181300: New web interface: preferences with long descriptions have cut text	mr10.5.1.8, mr10.5.2.7, mr10.5.3, mr11.1.1.6, mr11.1.2, mr11.2.1
54497	Bugfix	TT#163504: CSC: do not change options 'description' on option change	mr11.1.1.3, mr11.1.2, mr11.2.1, mr11.3.1
56017	Bugfix	[ngcpcfg] --remove-interface removes the whole list of interfaces defined	mr11.2.1
55984	Bugfix	fix rtpengine call teardown logic	mr11.1.2, mr11.2.1
54990	Bugfix	TT#181003: New Web interface: filter/serach in suscriber preferences doesn't work properly	mr10.5.1.8, mr10.5.2.7, mr10.5.3, mr11.1.1.6, mr11.1.2, mr11.2.1
53860	Bugfix	TT#147250: CloudPBX 9.5: Errors on generating a Seat.	mr10.5.1.5, mr10.5.2.5, mr10.5.3, mr11.1.1.4, mr11.1.2, mr11.2.1
56259	Bugfix	global: Fix issues with gcc-13 defaulting to C99	mr11.2.1
56292	Bugfix	ngcp-system-tests: Fix tests on CARRIER	mr11.2.1
54829	Bugfix	TT#175551: AUI: PRO features are visible on CE web interface	mr10.5.1.10, mr10.5.2.9, mr10.5.3.3, mr10.5.4, mr11.1.1.8, mr11.1.2, mr11.2.1
53241	Bugfix	TT#133065: CSC: The last state of the "Main menu" is not restored after RTCengine call	mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56068	Bugfix	resellerbrandings and resellerbrandinglogos expects different IDs	mr11.2.1
32992	Bugfix	AUI: Branding URL is not reachable under reseller account (Dashboard is shown)	mr11.2.1
54808	Bugfix	TT#175251: CSC: Calls to Voicebox signed differently on "Call list" and "Dashboard"	mr11.2.1
56280	Bugfix	[CRRRAINB-30472]T082_TR_AcallsB_Banswers_CcallsB_Banswers_Btransfers (1/3 and 3/1)	mr11.1.1.35, mr11.1.2, mr11.2.1, mr11.3.1

56246	Bugfix	CFT doesn't work if Mobile Push is enabled	mr10.5.4, mr11.1.2, mr11.2.1
56241	Bugfix	kamailio crash on shutdown	mr10.5.3, mr11.1.2, mr11.2.1
54004	Bugfix	Voiceboxpass for peering calls does not consider system language	mr11.2.1
56281	Bugfix	[CRRRAINB-30473][Cloud Telephony]2 step transfer + wrong device display:T083_TR_AcallsB_Banswers_CcallsA_Aanswers_Atransfers- mix	mr11.1.1.34, mr11.1.2, mr11.2.1, mr11.3.1
56282	Bugfix	[CRRRAINB-30474][Cloud Telephony]2 step transfer + wrong device display:T084_TR_AcallsD_CFU_B_Banswers_BcallsC_Canswers_Btransfer	mr11.1.1.32, mr11.1.2, mr11.2.1
56283	Bugfix	[CRRRAINB-30475][Cloud Telephony]2 step transfer + wrong device display:T084_TR_AcallsD_CFU_B_Banswers_BcallsC_Canswers_Btransfer	mr11.1.1.31, mr11.1.2, mr11.2.1
55582	Bugfix	No audio when calling a pbx subs via AA and picked-up via BLF	mr9.5.5.3, mr9.5.6, mr10.5.1.10, mr10.5.3, mr11.0.1.5, mr11.0.2, mr11.1.2, mr11.2.1
56025	Bugfix	Vouchers Topup via Sems DTMF deons't work	mr10.5.1.11, mr10.5.1.51, mr10.5.2.4, mr10.5.3, mr11.1.1.20, mr11.1.2, mr11.2.1
56373	Bugfix	Eventapi - missing 'bye' when a call is cancelled to a mono device callee	mr11.1.1.30, mr11.1.2, mr11.2.1
55885	Bugfix	[Android][Cloud] user presence still shows busy after invalid phone number is called	mr11.1.1.29, mr11.1.2, mr11.2.1
55943	Bugfix	Debian/bookworm: prosody integration	mr11.2.1
56343	Bugfix	WebRTC calls stuck on CSC interface	mr10.5.1.8, mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56340	Bugfix	[AUI] update modules reported as critical	mr11.2.1
56339	Bugfix	[CSC] update modules reported as critical	mr11.2.1
56332	Bugfix	[CRRRAINB-30469][Cloud Telephony]blindT + wrong device display: T060_BT_AcallsB_Banswers_AblindtransfersTo...	mr11.1.2, mr11.2.1
56315	Bugfix	[CRRRAINB-31416][Cloud Telephony] Attendee transfer to HG b full 1PCC: wrong display on users devices	mr11.1.1.26, mr11.1.2, mr11.2.1
56228	Bugfix	FAx/Send.pm is not managing correctly the exit status of good faxes -- \$channel-> {status} == 16	mr8.5.11, mr9.5.7, mr10.5.1.2, mr10.5.2.2, mr10.5.3, mr11.1.2, mr11.2.1
56219	Bugfix	[CRRRAINB-31196]THG050_serial_AcallsB_Banswers_AblindtransfersTo_HG - (way1=_3PCC;way2=_1PCC)	mr11.1.1.25, mr11.1.2, mr11.2.1

55768	Bugfix	[CRRRAINB-29617][Cloud Telephony] HG member Blindtransfer call to user- wrong displayname on caller device	mr11.1.1.24, mr11.1.2, mr11.2.1
55806	Bugfix	Diversion not checked against aliases	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
56309	Bugfix	NGCP-SNMP-AGENT fails if there is a customerfraudevent	mr8.5.10.2, mr8.5.11, mr9.5.6.2, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.1.1.2, mr11.1.2, mr11.2.1
56307	Bugfix	[CSC] PBX settings are visible only if clir_intrapbx preference is enabled in the profile	mr11.2.1
56187	Bugfix	ngcp-rate-o-mat.service is disabled on active node	mr10.5.2.3, mr10.5.3, mr11.1.1.2, mr11.1.2, mr11.2.1
56153	Bugfix	With CFT set and "force outbound call to peer" the CFT destination is not triggered after call timeout.	mr9.5.6.4, mr9.5.7, mr10.5.2.29, mr10.5.3, mr11.1.1.21, mr11.1.2, mr11.2.1
56220	Bugfix	FaxServer on Carrier with multiple proxy nodes is not working correctly by a bad definition on asterisk/sip.conf and Send.pm	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
56004	Bugfix	ngcp-check-no-public-passwords fails on CE after upgrade	mr9.5.6.5, mr11.1.1.6, mr11.2.1
56270	Bugfix	Errors related to P-NGCP-Leg-A-Info on proxy.log	mr11.1.1.23, mr11.1.2, mr11.2.1
55921	Bugfix	Prod: privacy of C (via peer) is not applied in history info header of 181 to A	mr9.5.7, mr10.5.3, mr11.1.2, mr11.2.1
56190	Bugfix	shellcheck v0.9.0 complains about new issues in rtpengine, ngcpcfg,...	mr11.2.1
55981	Bugfix	Pacemaker: Stand-by node does not take over when active node is down	mr10.5.1.5, mr10.5.2.2, mr10.5.3, mr11.1.1.2, mr11.1.2, mr11.2.1
55889	Bugfix	Debian/bookworm: glusterfs-server in bookworm lacks gluster binary	mr11.2.1
55814	Bugfix	license-client fails to build against Debian/bookworm	mr11.2.1
55817	Bugfix	klish fails to build against Debian/bookworm	mr11.2.1
56117	Bugfix	Unable to re-run ngcp-initial-configuration	mr10.5.2.2, mr10.5.3, mr11.1.1.2, mr11.1.2, mr11.2.1
55944	Bugfix	vagrant: vagrant up debian-* fails to authenticate	mr11.2.1
55676	Bugfix	Call to the webRTC not working properly	mr10.5.1.6, mr10.5.2.6, mr10.5.3, mr11.1.1.5, mr11.1.2, mr11.2.1
56140	Bugfix	Rename /usr/share/ngcp-upgrade/steps/mr9.5/update_grub_config	mr9.5.6.2, mr9.5.6.7, mr11.2.1
55140	Bugfix	TT#185052: Rainbow Hub - Blind transfer attendant to a hunting group : caller display on group voicemail NOK	mr10.5.1, mr10.5.1.16, mr10.5.1.52, mr10.5.2, mr10.5.2.27, mr10.5.3, mr11.0.1.12, mr11.0.2, mr11.1.1, mr11.1.1.19, mr11.1.2, mr11.2.1

55968	Bugfix	AOC does not work on 9.5 lab	mr8.5.9.7, mr8.5.10.2, mr8.5.11, mr9.5.5.7, mr9.5.6.2, mr9.5.7, mr10.5.2.2, mr10.5.3, mr11.1.1.3, mr11.1.2, mr11.2.1
55961	Bugfix	ngcp-status reports failed ngcp-mysql-compare-dbs while "All schemes are equal"	mr11.1.1.2, mr11.1.2, mr11.2.1
56007	Bugfix	Upgrade: /etc/udev/rules.d/70-persistent-net.rules isn't rewritten to PCIID format	mr9.5.6.6, mr9.5.7, mr10.5.2.6, mr10.5.3, mr11.1.1.3, mr11.1.2, mr11.2.1
56133	Bugfix	Debian/bookworm: sems-pbx fails to build against bookworm	mr11.2.1
55631	Bugfix	[CRRAINB-29653] [Cloud Telephony] 3PCC makecall + 2step transfer from A : wrong sip device display on caller	mr10.5.3, mr11.1.1.2, mr11.1.1.17, mr11.1.2, mr11.2.1
55528	Bugfix	Attended Call Transfer (A[target]) - missing ref	mr9.5.6.3, mr9.5.7, mr10.5.2.27, mr10.5.3, mr11.1.1.19, mr11.1.2, mr11.2.1
56064	Bugfix	Debian/bookworm: sems-pbx fails to compile against libprotobuf-dev	mr11.2.1
55991	Bugfix	Failing builds in py-ngcp-kamailio-test-docker due to inaccessible gitlab.com/pycqa/flake8	mr8.5.10.2, mr8.5.11, mr9.5.7, mr10.5.3, mr11.2.1
55521	Bugfix	IOS: It's impossible to deactivate Push in the App Settings	mr11.2.1
55518	Bugfix	On IOS push cant be disabled via settings	mr11.2.1
55655	Bugfix	Administrator bound to a specific reseller get 403 when select Reseller	mr10.5.1.8, mr10.5.2.7, mr10.5.3, mr11.1.1.6, mr11.1.2, mr11.2.1
55519	Bugfix	During the upgrade of A side pacemaker reboots B node	mr11.2.1
55744	Bugfix	[AUI] Impossible to create aliases for subscribers belonging to Basic Customers	mr11.0.1.4, mr11.0.2, mr11.1.1.5, mr11.1.2, mr11.2.1
56015	Bugfix	kct fails because of check on asterisk	mr10.5.2.4, mr10.5.3, mr11.1.1.3, mr11.1.2, mr11.2.1
55970	Bugfix	[CRRAINB-29836][Cloud Telephony] 3PCC makecall + Blindtransfer from B to C CFU_VM : wrong sip device display on caller	mr11.1.1.17, mr11.1.2, mr11.2.1
55983	Bugfix	[RAINBOW VOICE] No CTI event when call is routed to a private trunk	mr11.1.2, mr11.2.1
55865	Bugfix	Atrium#00654346 // Calling party number in group voice mail is not displayed the number	mr10.5.1.50, mr10.5.3, mr11.0.2, mr11.1.1.16, mr11.1.2, mr11.2.1
55882	Bugfix	Domain pref Outbound Diversion Header not used if CallQueue enabled	mr8.5.10, mr9.5.7, mr10.5.3, mr11.1.2, mr11.2.1
55789	Bugfix	Regression 9.5 - LI019 - Non target HPBX calls to conference number [as target] with PIN - no LEMF capture	mr9.5.5.6, mr9.5.6, mr10.5.2.4, mr10.5.3, mr11.1.1.3, mr11.1.2, mr11.2.1

55871	Bugfix	API query takes too long	mr10.5.1.28, mr10.5.2.8, mr10.5.3, mr11.0.1.8, mr11.0.2, mr11.1.2, mr11.2.1
55924	Bugfix	Debian/bookworm: ngcp-sync-db fails to run db synchronization	mr11.2.1
55756	Bugfix	It is no longer possible to download voicemails from new admin-panel	mr10.5.1.6, mr10.5.2.5, mr10.5.3, mr11.1.1.4, mr11.1.2, mr11.2.1
55386	Bugfix	[New AdminUI] Cannot upload fees as CSV	mr10.5.1.6, mr10.5.2.5, mr10.5.3, mr11.1.1.4, mr11.1.2, mr11.2.1
55878	Bugfix	Callqueues: No early reject playback, in case callee sends 486 or 603	mr11.2.1
55531	Bugfix	[Cloud Telephony] AA reach HG, caller release before any member answer: missing call ended on last ringing member	mr10.5.1.49, mr10.5.3, mr11.0.1.31, mr11.0.2, mr11.1.1.14, mr11.1.2, mr11.2.1
55506	Bugfix	Calls to a HG are queued after previous call is picked up via BLF	mr10.5.3, mr11.0.2, mr11.1.2, mr11.2.1
55949	Bugfix	deployment.sh script couldn't run correctly due to RTC time difference on the system.	mr11.2.1
55920	Bugfix	Debian/bookworm: kamailio-proxy failing to run due to rex_pcre problems	mr11.2.1
55529	Bugfix	Call-Park / Unpark - Audio of call unpark is not intercepted.	mr9.5.5.18, mr9.5.6.2, mr9.5.7, mr10.5.2.26, mr10.5.3, mr11.1.1.13, mr11.1.2, mr11.2.1
55765	Bugfix	Voisniff doesn't capture B-LEG of the call when configured as SPLIT-LI in version mr9.5.x	mr9.5.5.18, mr9.5.6, mr10.5.2.26, mr10.5.3, mr11.1.1.11, mr11.1.2, mr11.2.1
55918	Bugfix	Debian/bookworm: ngcp-sudo-plugin located in wrong place	mr11.2.1
55916	Bugfix	Debian/bookworm: asterisk not listening on UDP port 5070 / failing to load chan_sip module	mr11.2.1
55890	Bugfix	Debian/bookworm: ngcpcfg fails to generate /etc/default/ngcp-proxy	mr11.2.1
55898	Bugfix	Debian/bookworm: ssh group is no longer named as such	mr11.2.1
55907	Bugfix	Debian/bookworm: ngcp-status complains about "DB: wrong DB Engines on localhost:3306"	mr11.2.1
55909	Bugfix	Debian/bookworm: ngcp-status reporting many "WARNING: Forcing protocol to TCP due to option specification" warnings	mr11.2.1
55618	Bugfix	Incorrect on-hold music played	mr10.5.1.27, mr10.5.2.7, mr10.5.3, mr11.0.1.7, mr11.0.2, mr11.1.2, mr11.2.1

55881	Bugfix	Debian/bookworm: diff/15301.up incompatible with mariadb 10.6	mr11.2.1
55886	Bugfix	Debian/bookworm: ngcp-panel fails to run	mr11.2.1
55887	Bugfix	Debian/bookworm: adjust systemd hardening for new @pkey + @resources behavior	mr11.2.1
55767	Bugfix	Redis error "HMSET... wrong number of argument" when the uri in X-CALLER-INFO has no display_name	mr11.1.1.12, mr11.1.2, mr11.2.1
55891	Bugfix	Debian/bookworm: ngcp-status doesn't support bookworm yet	mr11.2.1
55731	Bugfix	[RAINBOW VOICE] Bubble's Original Caller not displayed on Rainbow Application after an attended transfer	mr11.1.1.3, mr11.1.1.11, mr11.1.2, mr11.2.1
55864	Bugfix	Cannot remove "Administrative" flag from subscribers	mr10.5.1.27, mr10.5.2.7, mr10.5.3, mr11.0.1.7, mr11.0.2, mr11.1.2, mr11.2.1
55860	Bugfix	Debian/boookworm: systemctl preset-all failing for ngcp-kannel-smsbox + ngcp-kannel-bearerbox.service	mr11.2.1
55730	Bugfix	[Cloud Telephony][CSTA] bad content of private data "callerInfoDevice" in SnapshotCallResponse	mr11.1.1.2, mr11.1.2, mr11.2.1
55682	Bugfix	When uploading greeting files in CSC, filter shows unsupported options.	mr10.5.1.4, mr10.5.2.4, mr11.1.1.2, mr11.2.1
55406	Bugfix	Subscriber creation fails if default timezone is selected	mr10.5.1.4, mr10.5.2.3, mr10.5.3, mr11.0.1, mr11.0.1.2, mr11.0.2, mr11.1.1, mr11.1.2, mr11.2.1
55836	Bugfix	update_grub_config fails on SW raid	mr11.2.1
55739	Bugfix	Lab: privacy of C is not applied in history info header of INVITE to D	mr9.5.5.5, mr9.5.5.16, mr9.5.6, mr10.5.2.3, mr10.5.2.22, mr10.5.3, mr11.0.2, mr11.1.1.2, mr11.1.1.7, mr11.1.2, mr11.2.1
55820	Bugfix	Debian/bookworm: missing asterisk-opus + asterisk-g72x	mr11.2.1
55819	Bugfix	prosody depends on missing lua-rex-pcre in Debian/bookworm	mr11.2.1
55532	Bugfix	[Cloud Telephony] 3PCC blindtransfer to wrong number: no call ended on transfered	mr11.0.1.29, mr11.0.2, mr11.1.1.10, mr11.1.2, mr11.2.1
55764	Bugfix	P-NGCP-Caller-Info info is not added when Split-LI is active	mr9.5.5.17, mr9.5.6, mr10.5.2.24, mr10.5.3, mr11.1.1.9, mr11.1.2, mr11.2.1
55816	Bugfix	sems fails to build against Debian/bookworm	mr11.2.1

55710	Bugfix	AUI: in subscriber sound_set preference I can select "customer soundset" part 2	mr10.5.1.3, mr10.5.2.2, mr10.5.3, mr11.0.1.3, mr11.0.2, mr11.2.1
55646	Bugfix	[CRRRAINB-29675][Cloud Telephony] user CFU to HG: when member rings or takes the call, this is member name which is displayed	mr10.5.2.16, mr10.5.3, mr11.0.1.24, mr11.0.2, mr11.1.1, mr11.2.1
55813	Bugfix	documentation fails to build against Debian/bookworm	mr11.2.1
55633	Bugfix	[CRRRAINB-29654][Cloud Telephony] 3PCC makecall + 2step transfer from B : wrong sip device display on caller	mr10.5.2.23, mr10.5.3, mr11.0.2, mr11.1.1.8, mr11.1.2, mr11.2.1
55652	Bugfix	Lab: privacy of B is applied in history info header of 181 to A via peer	mr9.5.5.13, mr9.5.6, mr10.5.2.17, mr10.5.3, mr11.0.2, mr11.1.1.6, mr11.1.2, mr11.2.1
55651	Bugfix	Lab: privacy of B is applied in history info header of INVITE to D via peer	mr9.5.6, mr10.5.2.18, mr10.5.3, mr11.0.2, mr11.1.1.5, mr11.1.2, mr11.2.1
55634	Bugfix	[CRRRAINB-29651][Cloud Telephony] 3PCC makecall + Blindtransfer from B : wrong sip device display on caller	mr10.5.3, mr11.0.2, mr11.1.1.4, mr11.1.2, mr11.2.1
55745	Bugfix	Typo found on default proxy templates	mr9.5.5.15, mr9.5.6, mr10.5.1.47, mr10.5.2.20, mr10.5.3, mr11.0.2, mr11.1.2, mr11.2.1
55685	Bugfix	Dlg counter get stuck, in case of NOTIFY in route[ROUTE_EARLY_REJECT]	mr11.0.1.25, mr11.0.2, mr11.1.1, mr11.2.1
55598	Bugfix	Atrium#00648316 //Automated attendant calls being forwarded to a different company users	mr10.5.2.13, mr10.5.3, mr11.0.1.21, mr11.0.2, mr11.1.1, mr11.2.1
32989	Bugfix	AUI: in subscriber sound_set preference I can select "customer soundset"	mr10.5.1.3, mr10.5.2.2, mr10.5.3, mr11.0.1.2, mr11.0.2, mr11.1.1, mr11.2.1
55701	Bugfix	SEMS click2dial (was: API /api/callcontrols/ throws 500 error)	mr9.5.6, mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
55360	Bugfix	"privacy=id" is used instead of "privacy=history" in HIH header to D	mr9.5.5.4, mr9.5.6, mr10.5.2.2, mr10.5.2.14, mr10.5.3, mr11.0.1.22, mr11.1.1, mr11.2.1
55363	Bugfix	privacy of C is not applied in history info header of 181 to peer	mr9.5.6, mr10.5.2.14, mr10.5.3, mr11.0.1.22, mr11.1.1, mr11.2.1
55361	Bugfix	privacy of B is not applied in history info header of INVITE request to C	mr9.5.6, mr10.5.2.14, mr10.5.3, mr11.0.1.22, mr11.1.1, mr11.2.1
55362	Bugfix	privacy of C is not applied in history info headers of 181 message Description	mr9.5.6, mr10.5.2.14, mr10.5.3, mr11.0.1.22, mr11.1.1, mr11.2.1

55657	Bugfix	In case of failed call to an endpoint, the port is not rewritten properly trying to reach early media announcements	mr9.5.6, mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
55455	Bugfix	Proxy Eventapi - redis HMSET command fails when "group_name" contains space characters	mr10.5.1.43, mr10.5.2.12, mr10.5.3, mr11.0.1.13, mr11.0.2, mr11.1.1, mr11.2.1
55650	Bugfix	In case of failed call to Voicemail service, the RTP ports are not closed	mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
55597	Bugfix	force_outbound_calls_to_peer seems causing some troubles cleaning redis dialog	mr11.2.1
55580	Bugfix	[CRRRAINB-29464][Cloud Telephony] Blindtransfer from A+ CallForward - wrong displayname on caller device	mr10.5.1.43, mr10.5.2.12, mr10.5.3, mr11.0.1.20, mr11.0.2, mr11.1.1, mr11.2.1
55590	Bugfix	Mr11.0.1 Kamailio unable to start /etc/kamailio/proxy/proxy.cfg, line 2013, column 3-4: syntax error	mr10.5.1.41, mr10.5.2.10, mr10.5.3, mr11.0.1.18, mr11.0.2, mr11.1.1, mr11.2.1
55505	Bugfix	Calls to PBX subs with CQ are queued when PBX subs has CF engaged.	mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
55511	Bugfix	alias= parameter in 200 OK Contact is breaking our internal call flow, and ACK is not sent to the correct destination	mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
55567	Bugfix	COLP info is exposed to external peering in case of peer->exten with CF->exten	mr10.5.1.42, mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
51104	Bugfix	TT#100451: Wakeup service relies on system language and ignores Doman/Subscriber language preferences	mr11.2.1
55525	Bugfix	Ngcp status reports broken replica for 3308	mr11.2.1
55555	Bugfix	[Cloud Telephony] forwarded call + transfer : wrong display on device in call after transfer	mr10.5.1.40, mr10.5.2.9, mr10.5.3, mr11.0.1.15, mr11.0.2, mr11.1.1, mr11.2.1
55547	Bugfix	[Cloud Telephony] Blindtransfer + CallForward - wrong displayname on caller device	mr10.5.1.40, mr10.5.2.9, mr10.5.3, mr11.0.1.15, mr11.0.1.17, mr11.0.2, mr11.1.1, mr11.2.1
55575	Bugfix	Double CFNA on a HG creates problem with user identification on voicemail	mr10.5.1.39, mr10.5.2.8, mr10.5.3, mr11.0.1.16, mr11.0.2, mr11.1.1, mr11.2.1
55550	Bugfix	Proxy generates error message when call rejected by peering server with 603	mr11.2.1
55468	Bugfix	Force installation of keydb version 6.2.3~git20220223.d591df1-1~bpo11+1 in trunk, mr11.0.1 and mr11.1.1	mr11.0.1.2, mr11.2.1

Category: Change Request

55940	Change Request	[CSC] Add possibility to configure "user defined buttons" on phones via CSC panel	mr11.2.1, mr11.2.1.2, mr11.2.2
-----------------------	----------------	---	--------------------------------

32996	Change Request	[CSC] Add possibility to configure "user defined buttons" on phones via CSC panel	mr11.2.1
55447	Change Request	Add support for EVS codec (transcoding) to rtpengine	mr11.2.1, mr11.3.1
55703	Change Request	Possibility to configure via Admin panel Customer speed dials	mr11.2.1, mr11.2.1.2, mr11.2.2
55349	Change Request	[ALE#22.28] Short codes for analog devices	mr11.2.1
55717	Change Request	Implement bulk operation for POST	mr11.2.1, mr11.2.1.2, mr11.2.2, mr11.3.1
54647	Change Request	[ALE#22.11] Traffic Barring schedule: time-range for call barring	mr11.2.1
56432	Change Request	Add Time Set support to NCOS Levels	mr11.2.1, mr11.3.1
55688	Change Request	implement "ncos sets" in the API	mr11.2.1, mr11.3.1
55687	Change Request	implement "ncos sets" in the UI	mr11.2.1
55686	Change Request	add "ncos sets" database support	mr11.2.1
55400	Change Request	Document the new possibility to create Short codes on customer level and add reference in ngcp release note	mr11.2.1, mr11.3.1
55449	Change Request	Add possibility to configure user configurations done directly on the phone higher priority over configurations coming from prov	mr11.2.1
56363	Change Request	Create new "NCOS Level Set" page	mr11.2.1
55450	Change Request	Add possibility to configure "user defined buttons" on phones via CSC panel	mr11.2.1
56407	Change Request	Documenting NCOS SET and NCOS LEVEL timeset in our handbook	mr11.2.1, mr11.3.1
53595	Change Request	TT#139467: Geo-Redundancy technical documentation	mr10.5.1, mr10.5.3.2, mr10.5.4, mr11.0.1.2, mr11.0.2, mr11.1.1.2, mr11.2.1, mr11.3.1
55413	Change Request	Please create a mantis-tools git repo and hook it into the infra	mr11.2.1
55931	Change Request	Allow configuration of the new "Forward" and "Speed Dial" button types in device creation	mr11.2.1, mr11.3.1
55930	Change Request	Add new phone's lines type: "Forward" and "Speed Dial"	mr11.2.1
55932	Change Request	Add new "Phone Config Priority" param in device provisioning	mr11.2.1
34057	Change Request	Reduce maintenance window	mr9.5.6, mr9.5.6.9, mr10.5.2.2, mr10.5.3, mr10.5.3.6, mr11.1.1, mr11.2.1, mr11.3.1
33000	Change Request	[CSC] Configure FROM header via CSC panel	mr11.2.1
33001	Change Request	[CSC] Configure FROM header via CSC panel	mr11.2.1

54588	Change Request	TT#167950: Add possibility to create FaxServer instances	mr11.2.1
55680	Change Request	To implement the kamailio logic for the new 'NCOS SET' preferences	mr11.2.1
55636	Change Request	[ALE#22.31] In a RBH Call queue, when an agent rejects a call, it is represented immediately	mr11.2.1
56234	Change Request	When 'cli' preference is exposed, prevent that subscriber administrator change its value to a random one in the old CSC	mr11.2.1
56031	Change Request	Subscriber administrator should have the possibility to configure the CLI of each single seats that belongs to the customer.	mr11.2.1
55711	Change Request	add new table provisioning.voip_contract_speed_dial	mr11.1.1.2, mr11.1.1.5, mr11.1.1.15, mr11.1.2, mr11.2.1
54646	Change Request	TT#169752: [ALE#22.10] New REST API method to clean Redis cache	mr11.1.1, mr11.2.1
55379	Change Request	Transition to usrmerge	mr11.2.1
56029	Change Request	Subscriber admin should be able to configure CFBNumberSets of other subscribers	mr11.2.1
56026	Change Request	Subscriber admin should be able to configure CFSourceSets of other subscribers	mr11.2.1
56027	Change Request	Subscriber admin should be able to configure CFDestinationSets of other subscribers	mr11.2.1
56028	Change Request	Subscriber admin should be able to configure CFTimesets of other subscribers	mr11.2.1
55953	Change Request	Add ngcp-task-agent git repository	mr11.2.1
55453	Change Request	New API endpoint to configure Customer speed dials	mr11.1.1, mr11.2.1
55458	Change Request	New API endpoint to get all primary numbers assigned to subscribers belonging to a customer	mr11.1.1, mr11.1.1.3, mr11.1.1.15, mr11.1.2, mr11.2.1
54634	Change Request	TT#169550: [ALE#22.07] Freeswitch: Call Queue	mr11.2.1
54753	Change Request	TT#173600: Manual configuration for LDAP ssh auth support	mr9.5 (ppa), mr11.1.1, mr11.2.1
33003	Change Request	[ALE#22.19] Group call log	mr11.1.1, mr11.2.1

Category: Improvement

56399	Improvement	0056377: Give option to disable SIP-password-change in CSC	mr9.5.1.20, mr9.5.5.2, mr9.5.6.2, mr9.5.7, mr10.5.1.10, mr10.5.2.9, mr10.5.4, mr11.2.1.2, mr11.2.2, mr11.3.1
56271	Improvement	Create a script that automatically generate the release notes	mr11.2.1

56085	Improvement	[CSC] Reply with 486 from WebRTC when the user is busy in another conversation	mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
54861	Improvement	Configure sip username, display-names and web username independently in CSC	mr11.2.1
56090	Improvement	Move general.maintenance to new yml file	mr11.2.1, mr11.3.1
56361	Improvement	ngcp-initial-configuration --join should check that local time is in sync	mr8.5.10.2, mr8.5.10.3, mr8.5.11, mr9.5.6.2, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1
32998	Improvement	[CSC] Customer admin user should be able to open seats configuration in a separated page	mr11.2.1
53842	Improvement	TT#146604: CSC: voicemail page doesn't report in which folder the messages are	mr11.1.1.3, mr11.1.2, mr11.2.1
55996	Improvement	ngcp-witnessd: Add profile checkpoints	mr11.2.1
56261	Improvement	klisk: Reduce dependency on klish	mr11.2.1
56236	Improvement	bulk-processor: Simplify kbytes2gigs into humanize_bytes	mr11.2.1
56273	Improvement	global: Remove klish	mr11.2.1
56008	Improvement	rtpeengine: add flexible input clock rate and clock rate multipliers	mr11.2.1
55393	Improvement	Implement e2e tests	mr11.1.1, mr11.2.1, mr11.5.1
55780	Improvement	[documentation] A placeholder which provides a ticket number for release notes updates. (@donat)	mr11.2.1
56385	Improvement	In latest trunk we distribute load between proxy nodes is that expected?	mr11.1.1.33, mr11.1.2, mr11.2.1
56003	Improvement	[CSC] update modules reported as critical	mr11.2.1
56002	Improvement	[AUI] update modules reported as critical	mr11.2.1
56127	Improvement	RTPeEngine: Improve the way we accept crypto suites	mr11.2.1
55470	Improvement	Be able to run ngcpcfg + templates in a plain Debian Bullseye system	mr8.5.1.16, mr8.5.2.19, mr8.5.4.12, mr8.5.5.11, mr8.5.6.10, mr8.5.7.5, mr8.5.10.3, mr8.5.11, mr9.5.1.21, mr9.5.2.13, mr9.5.3.6, mr9.5.4.8, mr9.5.5.5, mr9.5.6.8, mr9.5.7, mr10.0.1.6, mr10.0.2, mr10.1.1.8, mr10.1.1.10, mr10.1.2, mr10.2.1.3, mr10.2.1.5, mr10.2.2, mr10.3.1.4, mr10.3.1.6, mr10.3.2, mr10.4.1.2, mr10.4.1.5, mr10.4.2, mr10.5.1.2, mr10.5.1.3, mr10.5.1.4, mr10.5.1.5, mr10.5.1.6, mr10.5.2.2, mr10.5.2.3, mr10.5.2.7, mr10.5.2.8, mr10.5.2.9,

			mr10.5.2.10, mr10.5.3, mr10.5.4, mr11.0.1.2, mr11.0.1.3, mr11.0.2, mr11.1.1, mr11.1.1.4, mr11.1.1.5, mr11.1.1.7, mr11.1.2, mr11.2.1
55925	Improvement	Document in details how voisniff interception works at the moment, in particular for the Split-LI case	mr11.2.1
51984	Improvement	TT#112108: Create API endpoint tests	mr11.2.1
56057	Improvement	re-enable rate-o-mat "master-master" mode	mr11.2.1
56126	Improvement	RTPEngine: Add a preference list of crypto suites	mr11.2.1
55831	Improvement	sems (CE): stop using patches	mr11.2.1
53076	Improvement	TT#129268: CSC: missing time/filter/search on "Conversations" page (comparing to v1 CSC)	mr10.5.1.7, mr10.5.2.7, mr10.5.3.2, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1
56252	Improvement	Call Recording in AUI does not show who is the caller/callee.	mr10.5.1.9, mr10.5.2.8, mr10.5.3.2, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56138	Improvement	Call Recording in CSC does not show who is the caller/callee.	mr10.5.1.7, mr10.5.2.7, mr10.5.3.2, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1
56063	Improvement	Rework forced mappings to v2 endpoints	mr11.2.1
56040	Improvement	Update K-C-T for 302 scenario, based on new refactoring	mr11.2.1
55974	Improvement	Standardise api file and class names	mr11.1.1.5, mr11.1.2, mr11.2.1
56083	Improvement	[CSC] PBX Configuration > Groups configuration should be displayed like Seats	mr11.2.1
56147	Improvement	Update kamailio 5.6.0 to 5.6.latest on branch trunk	mr8.5.11, mr9.5.7, mr10.5.3, mr11.1.2, mr11.2.1
56000	Improvement	Debian/bookworm: asterisk migration from chan_sip.so to chan_pjsip.so	mr11.2.1
56125	Improvement	RTPEngine: SDES crypto suites in the SDP	mr11.2.1
55375	Improvement	monitoring: Cleanup/Improve collective-check and witnessd configuration file options	mr11.2.1
56129	Improvement	RTPEngine: Add an option to force increasing the SDP version	mr11.2.1
56078	Improvement	transmit_silence parameter for asterisk	mr11.2.1
54445	Improvement	TT#162803: AUI: SubscriberDetails - SpeedDial - Migrate add/edit page	mr11.2.1
55976	Improvement	Change api prefix to /api/v2 for production	mr11.2.1
55948	Improvement	ngcpcfg: detect unquoted content?	mr11.1.1.2, mr11.1.2, mr11.2.1

33061	Improvement	kct: add new scenario to test manager secretary feature	mr11.2.1
55606	Improvement	Rework calls flow from AA	mr11.2.1
55648	Improvement	Add/Modify step on upgrade script for carrier to permit to add correct GRANTS on proxy 3308	mr8.5.9.4, mr9.5.6.4, mr9.5.7, mr10.5.2.5, mr11.1.1.2, mr11.2.1
55843	Improvement	New admin panel search tool fails for large DB	mr10.5.1.5, mr10.5.2.4, mr10.5.3, mr11.1.1.3, mr11.1.2, mr11.2.1
55803	Improvement	Add support of '=' to fix_rename_network_interfaces step	mr9.5.6, mr11.2.1
55554	Improvement	ngcp-mysql-compare-dbs should compare local schema with master replica	mr11.2.1
55839	Improvement	Documentation: Add to chance log the new permissions_max_subnets parameter	mr11.2.1
33038	Improvement	AA and OH: Improvements, re-work	mr10.5.2.6, mr10.5.3, mr11.0.1.4, mr11.0.1.10, mr11.0.2, mr11.1, mr11.2.1
55832	Improvement	Documentation: describe in the handbook that topos is not applied for OPTIONS and REGISTER	mr11.2.1
55228	Improvement	TT#188550: Speed up base-vm-configure job	mr11.2.1
55391	Improvement	Improve nodejs Debian backports and policies	mr11.1.1, mr11.2.1
55795	Improvement	Add parameter in config.yml to setup max_subnets param for permissions Kamilio module	mr11.2.1
55431	Improvement	DSM: stop using 'P-Early-Announce' hf, and move it as a parameter to 'P-DSM-App'	mr11.2.1
55331	Improvement	[CPBX] As a PBX user I want the possibility to choose my Caller ID number/name for local calls and a different one fo	mr11.2.1
55696	Improvement	Script to check kamilio config	mr11.2.1
55706	Improvement	templates: remove IF/ELSE PRO in the 'sems-b2b/'	mr11.2.1
55714	Improvement	Remove unused rtcengine databse from NGCP	mr11.2.1
55556	Improvement	Fix deprecation warning [DEP0005] DeprecationWarning: Buffer() is deprecated due to security and usability issues.	mr11.1.1, mr11.2.1
55642	Improvement	ngcp-sync-grants, ngcp-sync-constants add custom dbhost, dbport support	mr8.5.9.2, mr8.5.10, mr9.5.5.2, mr9.5.6, mr10.5.1.2, mr10.5.2.2, mr10.5.3, mr11.0.1.2, mr11.0.2, mr11.1.1, mr11.2.1

55538	Improvement	[API] Add possibility to filter soundsets in order to get only the one not assigned to customers	mr10.5.1.25, mr10.5.2.3, mr10.5.3, mr11.0.2, mr11.1.1, mr11.2.1
-----------------------	-------------	--	---

Category: None

32997	None	[CSC] Customer admin must be able to configure call forward for all seats in CPBX via CSC panel	mr11.2.1
-----------------------	------	---	----------

32999	None	[CSC] Customer admin must be able to configure call forward for all seats in CPBX via CSC panel	mr11.2.1
-----------------------	------	---	----------