

Changelog for mr10.5.4

ID	Category	Summary	Target Releases
Category: Bugfix			
56097	Bugfix	kamailio-proxy 5.5.1-1+0~mr9.5.5.6 crashed	mr9.5.3.3, mr9.5.3.18, mr9.5.4.3, mr9.5.4.21, mr9.5.5.8, mr9.5.5.20, mr9.5.6.3, mr9.5.6.6, mr9.5.7, mr10.5.3.2, mr10.5.3.5, mr10.5.4, mr11.2.1.3, mr11.2.1.12, mr11.2.2, mr11.3.1
56939	Bugfix	Some config.yml options were not updated when certificates were moved from ssl to shared-files/ssl	mr10.5.1.8, mr10.5.2.3, mr10.5.3.3, mr10.5.4, mr10.5.4.2, mr11.0.1.5, mr11.0.2, mr11.1.1.4, mr11.1.2, mr11.2.1.3, mr11.2.2, mr11.3.1
56948	Bugfix	Setting debug for proxy on config.yml will impact the debug mode for lb and viceversa	mr10.5.3.9, mr10.5.4, mr11.1.1.49, mr11.1.2, mr11.2.2, mr11.3.1
55283	Bugfix	Various rtpengine fixes	mr7.5.14, mr8.5.10, mr8.5.11, mr9.5.6, mr9.5.7, mr10.1.2, mr10.5.2.27, mr10.5.3, mr10.5.4, mr11.0.2, mr11.1.1, mr11.1.1.19, mr11.1.2, mr11.2.1, mr11.2.2, mr11.3.1
56919	Bugfix	P-NGCP-Blind-Transfer header missing line feed return carriage	mr10.5.1.15, mr10.5.2.8, mr10.5.3.9, mr10.5.4, mr11.0.1.8, mr11.0.2, mr11.1.1.12, mr11.1.2, mr11.2.1.9, mr11.2.2, mr11.3.1
55336	Bugfix	Getting error message when searching for subscriber (any field) in new panel	mr10.5.1.12, mr10.5.1.13, mr10.5.2.11, mr10.5.2.12, mr10.5.3.6, mr10.5.4, mr11.2.1.5, mr11.2.1.6, mr11.2.2, mr11.3.1
56776	Bugfix	Delete a peer host fires an error	mr10.5.1.33, mr10.5.2.13, mr10.5.3.4, mr10.5.4, mr11.2.1.5, mr11.2.2, mr11.3.1
56827	Bugfix	[CRRRAINB-32595] Atrium#00676552 //Unable to receive calls as long a transferred call isn't finished	mr10.5.1.14, mr10.5.1.56, mr10.5.2.7, mr10.5.2.33, mr10.5.3.8, mr10.5.4, mr11.0.1.7, mr11.0.1.33, mr11.0.2, mr11.1.1.11, mr11.1.1.47, mr11.1.2, mr11.2.1.8, mr11.2.1.15, mr11.2.2, mr11.3.1
56860	Bugfix	user=phone should stay inside the SIP-URI, not as an header parameter	mr10.5.1.55, mr10.5.2.32, mr10.5.3.7, mr10.5.4, mr11.1.1.46, mr11.1.2, mr11.2.1.14, mr11.2.2, mr11.3.1

56718	Bugfix	On hunt group no second call is displayed until the call is answered and finished by other user	mr10.5.1.54, mr10.5.2.6, mr10.5.2.31, mr10.5.3.6, mr10.5.3.7, mr10.5.4, mr11.0.1.6, mr11.0.2, mr11.1.1.10, mr11.1.1.44, mr11.1.1.45, mr11.1.2, mr11.2.1.7, mr11.2.2, mr11.3.1
56578	Bugfix	No alert fired out if replication is broken on RO Mariadb on proxy	mr9.5.6.2, mr9.5.6.3, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.2.1.2, mr11.2.2, mr11.3.1
56772	Bugfix	Receiving 400 SDP Payload Malformed from B leg	mr8.5.10.2, mr8.5.11, mr9.5.6.3, mr9.5.7, mr10.5.3.6, mr10.5.4, mr11.2.1.6, mr11.2.2, mr11.3.1
56507	Bugfix	mr10.5: rtengine fails to compile against libxtables-dev 1.8.9-2	mr8.5.11, mr9.5.7, mr10.5.4
56420	Bugfix	fix SRTP key context mixup	mr10.5.4, mr11.1.2, mr11.2.1, mr11.2.2, mr11.3.1
56482	Bugfix	Remove deprecated files in /etc/ngcp-config	mr10.5.4, mr11.2.1.2, mr11.3.1
56347	Bugfix	The 'alias=' value set in Contact by end user needs to be kept in the ACK/BYE R-URI	mr10.5.1.53, mr10.5.3.3, mr10.5.4, mr11.1.1.40, mr11.1.2, mr11.2.1.6, mr11.2.2, mr11.3.1
56699	Bugfix	proxy does not anonymize inter-PBX call where CLIR=1	mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
56728	Bugfix	CE platform is not taking care correctly on sems about Geolocation on pidf+xml format	mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
56463	Bugfix	ngcp-update fails if schema related to credentials.mysql has changed	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1.2, mr11.2.2, mr11.3.1
56478	Bugfix	Debian/bookworm: lintian 2.116.1 breaks *-binaries jobs	mr9.5.7, mr10.5.4, mr11.3.1
56058	Bugfix	Sems-pbx was crashing almost constantly for a period of time	mr9.5.6.3, mr9.5.7, mr10.5.1.12, mr10.5.3.4, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1, mr11.3.1
56646	Bugfix	Sems crashed on switchover	mr10.5.3.5, mr10.5.4, mr11.1.1.8, mr11.1.2, mr11.2.2
56244	Bugfix	SBCReplicatedCallLeg::processingCycle with no 'local_tag' (sems crash)	mr10.5.1.12, mr10.5.2.5, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1
56613	Bugfix	Pseudo-variable \$ulc(exp=>aor) only contains userpart in event_route[usrloc:contact-expired]	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1.2, mr11.2.2, mr11.3.1
56568	Bugfix	ngcpcfg status reports twice the status of the local node in a carrier	mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
55628	Bugfix	prevent mediator shutdown on broken rows	mr10.5.1.4, mr10.5.2.2, mr10.5.3, mr10.5.4, mr11.0.1.2, mr11.0.2, mr11.1.1.2, mr11.1.2, mr11.2.1, mr11.2.2,

			mr11.3.1
56480	Bugfix	Push sends incorrect data_sender_name	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
56327	Bugfix	ngcp-log-flow not working when -f option is added.	mr10.5.2.4, mr10.5.3.3, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1, mr11.3.1
56406	Bugfix	ngcp-status reports about LA	mr8.5.11, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1, mr11.2.1.2, mr11.2.2, mr11.3.1
56019	Bugfix	Upgrade to mr10.5 fails - can't merge config.yml commits	mr10.5.3, mr10.5.3.2, mr10.5.3.4, mr10.5.3.5, mr10.5.3.7, mr10.5.4, mr11.2.1, mr11.3.1
56446	Bugfix	[Rainbow Voice] WebClient: "Office phone mode" cannot be selected since it is greyed	mr10.5.1.3, mr10.5.2.3, mr10.5.3.2, mr10.5.4, mr11.0.1.3, mr11.0.2, mr11.1.1.4, mr11.1.2, mr11.2.1, mr11.3.1
55876	Bugfix	Search feature on Customer does not work correctly using v2 UI	mr10.5.1.11, mr10.5.2.10, mr10.5.3.4, mr10.5.4, mr11.1.1.9, mr11.1.2, mr11.2.1, mr11.3.1
56402	Bugfix	Keydb is missing in monit	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
55579	Bugfix	SSH connections not closed and running without permission exception	mr10.5.2.3, mr10.5.3.2, mr10.5.4, mr11.1.1.2, mr11.1.2, mr11.2.1
56110	Bugfix	Unable to finalise ngcp-initial-configuration	mr10.5.4, mr11.2.1, mr11.3.1
55934	Bugfix	interconnection test SS_hold_0x: "recvonly" is changed to "sendrecv" on resuming held call	mr9.5.5.2, mr9.5.5.4, mr9.5.5.5, mr9.5.6.2, mr9.5.7, mr10.5.3.3, mr10.5.4, mr11.1.1.4, mr11.1.2, mr11.2.1
54829	Bugfix	TT#175551: AUI: PRO features are visible on CE web interface	mr10.5.1.10, mr10.5.2.9, mr10.5.3.3, mr10.5.4, mr11.1.1.8, mr11.1.2, mr11.2.1
53241	Bugfix	TT#133065: CSC: The last state of the "Main menu" is not restored after RTCengine call	mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56246	Bugfix	CFT doesn't work if Mobile Push is enabled	mr10.5.4, mr11.1.2, mr11.2.1
56343	Bugfix	WebRTC calls stuck on CSC interface	mr10.5.1.8, mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56333	Bugfix	call number of A is anonymized on call deflection, when B has CLIR (302 Moved Temporarily)	mr9.5.5.19, mr9.5.6.5, mr9.5.7, mr10.5.4, mr11.1.1.28, mr11.1.2
55806	Bugfix	Diversion not checked against aliases	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
56309	Bugfix	NGCP-SNMP-AGENT fails if there is a customerfraudevent	mr8.5.10.2, mr8.5.11, mr9.5.6.2, mr9.5.7, mr10.5.3.2,

mr10.5.4, mr11.1.1.2, mr11.1.2, mr11.2.1

56220	Bugfix	FaxServer on Carrier with multiple proxy nodes is not working correctly by a bad definition on asterisk/sip.conf and Send.pm	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.1
-----------------------	--------	--	---

Category: Change Request

56418	Change Request	Could we add some more logging for snmp-agent	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
53595	Change Request	TT#139467: Geo-Redundancy technical documentation	mr10.5.1, mr10.5.3.2, mr10.5.4, mr11.0.1.2, mr11.0.2, mr11.1.1.2, mr11.2.1, mr11.3.1

Category: Improvement

56417	Improvement	make Provisioning Templates "contract_contact" and "contract" sections optional	mr10.5.3.2, mr10.5.4, mr11.0.1.10, mr11.0.2, mr11.1.1.7, mr11.3.1
56783	Improvement	[CSC] Remove possibility of see the SIP password in user setting page	mr10.5.1.11, mr10.5.2.10, mr10.5.3.5, mr10.5.4, mr11.2.1.4, mr11.2.2, mr11.3.1
56771	Improvement	Documentation: update description for VSC 31 (CLIR)	mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
56647	Improvement	Iptables persistent and rtpengine iptables rules	mr8.5.11, mr9.5.7, mr10.5.4, mr11.1.2, mr11.2.2, mr11.3.1
56399	Improvement	0056377: Give option to disable SIP-password-change in CSC	mr9.5.1.20, mr9.5.5.2, mr9.5.6.2, mr9.5.7, mr10.5.1.10, mr10.5.2.9, mr10.5.4, mr11.2.1.2, mr11.2.2, mr11.3.1
56085	Improvement	[CSC] Reply with 486 from WebRTC when the user is busy in another conversation	mr10.5.3.3, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56361	Improvement	ngcp-initial-configuration --join should check that local time is in sync	mr8.5.10.2, mr8.5.10.3, mr8.5.11, mr9.5.6.2, mr9.5.7, mr10.5.3.2, mr10.5.4, mr11.1.1.3, mr11.1.2, mr11.2.1
55470	Improvement	Be able to run ngcpcfg + templates in a plain Debian Bullseye system	mr8.5.1.16, mr8.5.2.19, mr8.5.4.12, mr8.5.5.11, mr8.5.6.10, mr8.5.7.5, mr8.5.10.3, mr8.5.11, mr9.5.1.21, mr9.5.2.13, mr9.5.3.6, mr9.5.4.8, mr9.5.5.5, mr9.5.6.8, mr9.5.7, mr10.0.1.6, mr10.0.2, mr10.1.1.8, mr10.1.1.10, mr10.1.2, mr10.2.1.3, mr10.2.1.5, mr10.2.2, mr10.3.1.4, mr10.3.1.6, mr10.3.2, mr10.4.1.2, mr10.4.1.5, mr10.4.2, mr10.5.1.2, mr10.5.1.3, mr10.5.1.4, mr10.5.1.5, mr10.5.1.6, mr10.5.2.2, mr10.5.2.3, mr10.5.2.7, mr10.5.2.8, mr10.5.2.9, mr10.5.2.10, mr10.5.3, mr10.5.4, mr11.0.1.2, mr11.0.1.3,

			mr11.0.2, mr11.1.1, mr11.1.1.4, mr11.1.1.5, mr11.1.1.7, mr11.1.2, mr11.2.1
53076	Improvement	TT#129268: CSC: missing time/filter/search on "Conversations" page (comparing to v1 CSC)	mr10.5.1.7, mr10.5.2.7, mr10.5.3.2, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1
56252	Improvement	Call Recording in AUI does not show who is the caller/callee.	mr10.5.1.9, mr10.5.2.8, mr10.5.3.2, mr10.5.4, mr11.1.1.7, mr11.1.2, mr11.2.1
56138	Improvement	Call Recording in CSC does not show who is the caller/callee.	mr10.5.1.7, mr10.5.2.7, mr10.5.3.2, mr10.5.4, mr11.1.1.6, mr11.1.2, mr11.2.1