

# Changelog for mr26.0.1

| Ticket ID             | Category | Summary  | Target Releases  |
|-----------------------|----------|--|--|
| Category: Bugfix      |          |  |  |
| <a href="#">55283</a> | Bugfix   | Various rtpengine fixes  | mr7.5.14, mr8.5.10, mr8.5.11, mr8.5.13, mr9.5.1.55, mr9.5.2.32, mr9.5.3.21, mr9.5.4.24, mr9.5.5.22, mr9.5.6, mr9.5.6.8, mr9.5.7, mr9.5.8, mr9.5.9, mr10.1.2, mr10.5.2.27, mr10.5.3, mr10.5.4, mr10.5.5, mr10.5.6, mr10.5.7, mr10.5.8.4, mr10.5.9, mr11.0.2, mr11.1.1, mr11.1.1.19, mr11.1.2, mr11.2.1, mr11.2.2, mr11.3.1, mr11.3.2, mr11.4.1, mr11.4.2, mr11.5.1, mr11.5.1.15, mr11.5.1.122, mr11.5.2, mr12.0.1, mr12.0.2, mr12.1.1, mr12.1.2, mr12.2.1, mr12.2.2, mr12.3.1, mr12.3.2, mr12.4.1, mr12.4.2, mr12.5.1, mr12.5.1.3, mr12.5.1.7, mr12.5.1.11, mr12.5.1.50, mr12.5.2, mr13.0.1, mr13.0.1.19, mr13.0.2, mr13.1.1, mr13.1.2, mr13.2.1, mr13.2.1.28, mr13.2.2, mr13.3.1, mr13.3.2, mr13.4.1, mr13.4.2, mr13.5.1, mr13.5.2, mr14.0.1, mr14.0.2, mr14.1.1, mr14.1.2, mr26.0.1, mr26.0.2, mr26.1.1 |
| <a href="#">64426</a> | Bugfix   | CRRAINB-51020: Name is not getting updated after call initiator parks the call | mr12.5.1.259, mr12.5.2, mr13.5.1.9, mr13.5.1.84, mr13.5.2, mr14.0.1.31, mr14.0.2, mr14.1.1.4, mr14.1.1.5, mr14.1.1.23, mr14.1.2, mr26.0.1, mr26.0.1.3, mr26.0.1.6, mr26.0.2, mr26.1.1  |
| <a href="#">64917</a> | Bugfix   |  |  |

| Ticket ID             | Category | Summary  | Target Releases   |
|-----------------------|----------|--|---|
|                       |          | [AUI] add transport parameter to api created peering server                      | mr12.5.1.40, mr12.5.2, mr13.5.1.30, mr13.5.2, mr14.1.1.10, mr14.1.2, mr26.0.1, mr26.1.1             |
| <a href="#">64989</a> | Bugfix   | [E2E] CSC Cf tests intermittent fail   | mr26.0.1.3, mr26.0.2, mr26.1.1  |
| <a href="#">65029</a> | Bugfix   | [CSC] race condition when checking current time in time input box                | mr12.5.1.41, mr12.5.2, mr13.5.1.32, mr13.5.2, mr14.1.1.12, mr14.1.2, mr26.0.1.4, mr26.0.2, mr26.1.1 |
| <a href="#">64921</a> | Bugfix   | [CSC] subscriber phonebook "more menu" identifier needs to be updated            | mr13.5.1.31, mr13.5.2, mr14.1.1.11, mr14.1.2, mr26.0.1, mr26.1.1                                    |
| <a href="#">64366</a> | Bugfix   | jenkins: Upgrading the Dockerfiles for some repos to trixie does not take effect | mr26.0.1  |
| <a href="#">65001</a> | Bugfix   | bans/registrations bans/ips 500 error on empty data sets                         | mr13.5.1.22, mr13.5.2, mr26.0.1.4, mr26.0.2, mr26.1.1   |
| <a href="#">63742</a> | Bugfix   | Upgrade is not able to complete because a "missed" applied grant for sems /      | mr26.0.1, mr26.0.1.4, mr26.0.2, mr26.1.1  |

| Ticket ID             | Category | Summary   | Target Releases   |
|-----------------------|----------|---|---|
|                       |          | 'sems_prepaid'@'localhost' for table `kamailio`.`sub                        |   |
| <a href="#">64850</a> | Bugfix   | ngcp-make-active not working after improvements in Corosync                 | mr12.5.1.15, mr12.5.1.16, mr12.5.1.17, mr12.5.2, mr13.5.1.9, mr13.5.1.10, mr13.5.1.11, mr13.5.2, mr14.1.1.4, mr14.1.1.5, mr14.1.1.6, mr14.1.2, mr26.0.1, mr26.0.1.3, mr26.0.2, mr26.1.1 |
| <a href="#">64972</a> | Bugfix   | System is sending mails to customers  | mr13.5.1.32, mr13.5.2, mr26.0.1.3, mr26.0.2, mr26.1.1   |
| <a href="#">63881</a> | Bugfix   | Mem leaks on kama proxy   | mr12.5.1.13, mr12.5.2, mr13.5.1.6, mr13.5.2, mr14.1.1.4, mr14.1.2, mr26.0.1.3, mr26.0.2, mr26.1.1   |
| <a href="#">64397</a> | Bugfix   | [CSC vue3 migration] Restore use of component names                         | mr14.1.1, mr26.0.1  |
| <a href="#">62265</a> | Bugfix   | trixie: ngcp-lnpd can't be built in current Debian/trixie                   | mr13.3.1, mr26.0.1.1, mr26.0.2, mr26.1.1  |
| <a href="#">63433</a> | Bugfix   | [AUI] impossible to define a custom number in the lines device provisioning | mr11.5.2, mr12.5.1.59, mr13.5.1.11, mr13.5.1.19, mr13.5.1.31, mr13.5.2, mr14.0.1.3, mr14.0.1.5, mr14.0.1.8, mr14.0.2, mr26.0.1  |
| <a href="#">64938</a> | Bugfix   | voicemail: set mail envelope  | mr26.0.1, mr26.1.1  |
| <a href="#">64477</a> | Bugfix   |   | mr12.5.1.8, mr12.5.2, mr13.5.1.5, mr13.5.2, mr14.1.1.4, mr14.1.2, mr26.0.1  |

| Ticket ID             | Category | Summary   | Target Releases  |
|-----------------------|----------|---|--|
|                       |          | A few issues with ngcp-log-flow   |  |
| <a href="#">64804</a> | Bugfix   | [CSC] CF toggle bugfix  | mr26.0.1   |
| <a href="#">64008</a> | Bugfix   | CRRRAINB-49777: Second welcome prompt not played after overflow and call drops with Complan trunk | mr12.5.1.244, mr12.5.1.252, mr12.5.2, mr13.5.1.45, mr13.5.1.54, mr13.5.2, mr14.0.1.12, mr14.0.1.21, mr14.0.2, mr26.0.1 |
| <a href="#">62342</a> | Bugfix   | Add handler in case of unreadable info for Security Bans  | mr12.5.1.54, mr12.5.1.56, mr12.5.2, mr13.5.1.30, mr13.5.2, mr14.0.1.16, mr14.0.2, mr14.1.1.6, mr14.1.2, mr26.0.1       |
| <a href="#">64891</a> | Bugfix   | Panel throws 500 exceptions most probably in Plugin::Session                                      | mr13.5.1.29, mr13.5.2, mr26.0.1, mr26.1.1  |
| <a href="#">64627</a> | Bugfix   | CRRRAINB-47677: SIP OPTIONS sent in clear mode after passing to TLS                               | mr12.5.1.55, mr12.5.2, mr13.5.1.20, mr13.5.1.28, mr13.5.2, mr14.1.1.5, mr14.1.1.8, mr14.1.2, mr26.0.1, mr26.1.1        |
| <a href="#">64503</a> | Bugfix   | [AUI] Header Manipulations sorting bugfix   | mr12.5.1.71, mr12.5.2, mr13.5.1.40, mr13.5.2, mr14.0.1.16, mr14.0.2, mr14.1.1.9, mr14.1.2, mr26.0.1                    |

| Ticket ID             | Category | Summary  | Target Releases   |
|-----------------------|----------|--|---|
| <a href="#">63465</a> | Bugfix   | Upgrade to mr13.4.1 on hw platform always fails at create_jail: line 136: cd: /home/jail | mr12.5.1.5, mr12.5.2, mr13.4.1.3, mr13.4.2, mr13.5.1, mr26.0.1, mr26.1.1  |
| <a href="#">64465</a> | Bugfix   | pv_headers: crash on `pvh_xavi_append_value()`, procesisng 200OK from pinger@localhost   | mr12.5.1.264, mr12.5.2, mr13.5.1.68, mr13.5.2, mr14.1.1.10, mr14.1.2, mr26.0.1                                      |
| <a href="#">63868</a> | Bugfix   | CRRRAINB-48446: Kamailio crashed on the permissions tables reload                        | mr12.5.1.12, mr12.5.1.268, mr12.5.2, mr13.5.1.5, mr13.5.1.75, mr13.5.2, mr14.1.1.3, mr14.1.1.17, mr14.1.2, mr26.0.1 |
| <a href="#">63760</a> | Bugfix   | mariadb failed to start due to data corruption, as part of upgrade mr11.5.1 -> mr13.5.1  | mr13.5.1.7, mr13.5.1.16, mr13.5.2, mr14.0.1, mr14.1.1.4, mr14.1.2, mr26.0.1, mr26.1.1                               |
| <a href="#">64593</a> | Bugfix   | ngcp-task-agent service runs, but tasks are timing out                                   | mr13.5.1.3, mr13.5.1.4, mr13.5.1.5, mr13.5.1.79, mr13.5.2, mr14.1.1.2, mr14.1.2, mr26.0.1, mr26.1.1                 |
| <a href="#">63947</a> | Bugfix   | HM issues on mr12.5.1 and probably on the others too                                     | mr12.5.1.272, mr12.5.2, mr13.5.1.80, mr13.5.2, mr26.0.1   |

| Ticket ID             | Category | Summary  | Target Releases   |
|-----------------------|----------|--|---|
| <a href="#">64585</a> | Bugfix   | Remove leftovers of the "Local Subscriber" CF destination  | mr12.5.1.18, mr12.5.1.65, mr12.5.1.70, mr12.5.2, mr13.5.1.8, mr13.5.1.17, mr13.5.1.39, mr13.5.2, mr14.1.1.3, mr14.1.1.5, mr14.1.1.8, mr14.1.2, mr26.0.1 |
| <a href="#">64748</a> | Bugfix   | kamailio: relocation R_X86_64_PC32 against symbol `z_errmsg' can not be used when making a shared object; recompile with -fPIC | mr26.0.1  |
| <a href="#">64469</a> | Bugfix   | Auto-Attendant not working: SEMS sending bye   | mr14.1.1.2, mr14.1.2, mr26.0.1, mr26.1.1  |
| <a href="#">64564</a> | Bugfix   | pv_headers: crash upon checking the `\$avp(s:eventapi_lock)` with `pv_isset()` function  | mr12.5.1.271, mr12.5.2, mr13.5.1.78, mr13.5.2, mr14.1.1.20, mr14.1.2, mr26.0.1  |
| <a href="#">64675</a> | Bugfix   | Security Bans Search Functionality   | mr13.5.1.19, mr13.5.2, mr14.1.1.7, mr14.1.2, mr26.0.1   |
| <a href="#">64848</a> | Bugfix   |  | mr13.5.1.26, mr13.5.2, mr14.1.1.5, mr14.1.2, mr26.0.1   |

| Ticket ID             | Category | Summary   | Target Releases   |
|-----------------------|----------|---|---|
|                       |          | [E2E] Search for created LNP objects after creation has been finished             |   |
| <a href="#">64726</a> | Bugfix   | csc for play_announce_before_call_setup works a bit different than admin ui       | mr12.5.1.67, mr12.5.2, mr13.5.1.19, mr13.5.2, mr14.1.1.7, mr14.1.2, mr26.0.1  |
| <a href="#">64789</a> | Bugfix   | TR Notruf Implementation on Content-ID is wrong                                   | mr12.5.1, mr12.5.1.8, mr12.5.2, mr13.5.1, mr13.5.1.3, mr13.5.2, mr14.1.1, mr14.1.1.2, mr14.1.2, mr26.0.1  |
| <a href="#">64693</a> | Bugfix   | Websocket service is not processing new requests/ events in case of redis restart | mr12.5.1.20, mr12.5.1.21, mr12.5.1.22, mr12.5.2, mr13.5.1.3, mr13.5.1.4, mr13.5.1.5, mr13.5.2, mr14.1.1.2, mr14.1.1.3, mr14.1.1.4, mr14.1.2, mr26.0.1 |
| <a href="#">64513</a> | Bugfix   | CRRRAINB-51460: stuck call when unpark on free slot                               | mr12.5.1.262, mr12.5.2, mr13.5.1.66, mr13.5.2, mr14.0.1.34, mr14.0.2, mr14.1.1.8, mr14.1.2, mr26.0.1  |
| <a href="#">63401</a> | Bugfix   | Update vulnerable JS libs in oldstable lts  | mr12.5.1.52, mr12.5.2, mr13.5.1.26, mr13.5.2, mr14.0.1.15, mr14.0.2, mr14.1.1.3, mr14.1.2, mr26.0.1   |
| <a href="#">63950</a> | Bugfix   | remove all waitPageProgress calls that cause test freezes                         | mr12.5.1.28, mr12.5.1.30, mr12.5.1.32, mr12.5.1.34, mr12.5.1.35, mr12.5.1.36, mr12.5.1.37, mr12.5.2, mr13.5.1.7, mr13.5.1.8, mr13.5.1.14,             |

| Ticket ID             | Category | Summary   | Target Releases   |
|-----------------------|----------|---|---|
|                       |          |   | mr13.5.1.17, mr13.5.1.20, mr13.5.1.21, mr13.5.1.23, mr13.5.1.27, mr13.5.2, mr14.0.1, mr14.0.1.3, mr14.0.1.6, mr14.0.1.7, mr14.0.2, mr14.1.1, mr14.1.1.2, mr14.1.1.6, mr14.1.2, mr26.0.1 |
| <a href="#">64400</a> | Bugfix   | ngcp-sync-db removes particular grants (mr11.5+) in prx3308 db                            | mr11.5.1.26, mr11.5.2, mr12.5.1.14, mr12.5.2, mr13.5.1.8, mr13.5.2, mr14.1.1.2, mr14.1.2, mr26.0.1  |
| <a href="#">64829</a> | Bugfix   | [CSC] Improve German Translations   | mr26.0.1  |
| <a href="#">64770</a> | Bugfix   | k-c-t: Concurrent_max calls... exceeded... for peer ...                                   | mr26.0.1  |
| <a href="#">64254</a> | Bugfix   | Recurring error message in log: automatic string to int conversion for "anonymous" failed | mr12.5.1.269, mr12.5.2, mr13.5.1.76, mr13.5.2, mr14.1.1.18, mr14.1.2, mr26.0.1  |
| <a href="#">63774</a> | Bugfix   | prometheus haproxy exporter is not able to start  | mr11.5.1.142, mr11.5.2, mr12.5.1.218, mr12.5.2, mr13.5.1.15, mr13.5.2, mr14.0.1, mr26.0.1   |
| <a href="#">64340</a> | Bugfix   | SIP Peering groups: Inbound rules are not reflecting in db.                               | mr13.5.1.13, mr13.5.2, mr14.1.1.6, mr14.1.2, mr26.0.1   |

| Ticket ID             | Category | Summary  | Target Releases   |
|-----------------------|----------|--|---|
| <a href="#">64783</a> | Bugfix   | kamailio proxy transfer.cfg typo (kamailio-proxy cannot start)                     | mr14.1.1.16, mr14.1.2, mr26.0.1   |
| <a href="#">64429</a> | Bugfix   | Issue with the mr13.5.1 Security Bans "search field"                               | mr13.5.1.14, mr13.5.1.15, mr13.5.1.16, mr13.5.1.17, mr13.5.1.18, mr13.5.2, mr14.1.1.2, mr14.1.1.3, mr14.1.1.4, mr14.1.1.5, mr14.1.2, mr26.0.1 |
| <a href="#">64766</a> | Bugfix   | ngcp-extend-api-ca script breaks certificate                                       | mr12.5.1.7, mr12.5.2, mr13.5.1.4, mr13.5.2, mr14.1.1.3, mr14.1.2, mr26.0.1  |
| <a href="#">64697</a> | Bugfix   | FreeSwitch Application Server - TIVRCAL308 Loopplay not loaded in case of cf_loop  | mr13.5.1.72, mr13.5.2, mr14.1.1.14, mr14.1.2, mr26.0.1  |
| <a href="#">64552</a> | Bugfix   | Non-stop registration of Peering Server once it is enabled                         | mr13.5.1.73, mr13.5.2, mr14.1.1.14, mr14.1.2, mr26.0.1  |
| <a href="#">64708</a> | Bugfix   | [AUI] fixes after splitting tests to 3 groups                                      | mr13.5.1.25, mr13.5.2, mr14.1.1.4, mr14.1.2, mr26.0.1   |
| <a href="#">64371</a> | Bugfix   | FreeSwitch Application Server [office-hours]- LoopPlay not correct on closed hours | mr13.5.1.3, mr13.5.1.69, mr13.5.2, mr14.1.1.2, mr14.1.1.11, mr14.1.2, mr26.0.1  |

| Ticket ID             | Category | Summary  | Target Releases   |
|-----------------------|----------|--|---|
| <a href="#">64391</a> | Bugfix   | 'reseller_id' usr preference behaviour   | mr26.0.1  |
| <a href="#">64582</a> | Bugfix   | ngcp-customtt-diff-helper -c unable to download templates if system uses http(s) proxy | mr13.5.1.3, mr13.5.2, mr14.1.1.2, mr14.1.2, mr26.0.1  |
| <a href="#">64560</a> | Bugfix   | Fix provisioning.voip_fax_data replication issue on CARRIER                            | mr12.5.1.263, mr12.5.2, mr13.5.1.67, mr13.5.2, mr14.1.1.9, mr14.1.2, mr26.0.1                       |
| <a href="#">64186</a> | Bugfix   | After Change-Id: l937c4daa709d68c62d4c372a8e2d71882d9e28c2 ngcp-usr-location is broken | mr14.0.1.2, mr14.0.2, mr14.1.1, mr26.0.1  |
| <a href="#">64452</a> | Bugfix   | [AUI] Amend error handling function to show v2 errors                                  | mr12.5.1.69, mr12.5.2, mr13.5.1.37, mr13.5.2, mr14.0.1.15, mr14.0.2, mr14.1.1.5, mr14.1.2, mr26.0.1 |
| <a href="#">64407</a> | Bugfix   | Reseller Logo Reset Issue When Saving Multiple Reseller Logos                          | mr12.5.1.66, mr12.5.2, mr13.5.1.35, mr13.5.2, mr14.0.1.13, mr14.0.2, mr14.1.1.3, mr14.1.2, mr26.0.1 |
| <a href="#">64472</a> | Bugfix   |  | mr12.5.1.67, mr12.5.2, mr13.5.1.36, mr13.5.2, mr14.0.1.14, mr14.0.2, mr14.1.1.4, mr14.1.2, mr26.0.1 |

| Ticket ID             | Category | Summary  | Target Releases  |
|-----------------------|----------|--|--|
|                       |          | [AUI] The field cft_ringtimeout don't reset after removing all cft groups          |  |
| <a href="#">64347</a> | Bugfix   | Park/Unpark a call side effects  | mr12.5.1.255, mr12.5.2, mr13.5.1.57, mr13.5.2, mr14.0.1.24, mr14.0.2, mr14.1.1, mr26.0.1                     |
| <a href="#">64384</a> | Bugfix   | Inbound Peering Rule doesn't take into consideration if the peer is enabled or not | mr13.5.1.59, mr13.5.2, mr14.0.1.28, mr14.0.2, mr14.1.1, mr26.0.1   |
| <a href="#">64487</a> | Bugfix   | ngcp-prepare-upgrade fails if ngcp-installer-pro is not up to date                 | mr12.5.1.31, mr12.5.2, mr13.5.1.14, mr13.5.2, mr14.0.1.4, mr14.0.2, mr14.1.1.2, mr14.1.2, mr26.0.1           |
| <a href="#">64458</a> | Bugfix   | [AUI] Clicking "API" or "Handbook" menu items logs users out                       | mr12.5.1.65, mr12.5.2, mr13.5.1.34, mr13.5.2, mr14.0.1.12, mr14.0.2, mr14.1.1.2, mr14.1.2, mr26.0.1          |
| <a href="#">64432</a> | Bugfix   | [CSC] Refactor phonebook pages logic   | mr12.5.1.63, mr12.5.2, mr13.5.1.15, mr13.5.2, mr14.0.1.7, mr14.0.2, mr14.1.1, mr14.1.1.2, mr14.1.2, mr26.0.1 |
| <a href="#">64398</a> | Bugfix   | CRRAINB-51013: Random ghost calls are created and                                  | mr12.5.1.259, mr12.5.2, mr13.5.2, mr14.0.1.31, mr14.0.2, mr14.1.1.4, mr14.1.2, mr26.0.1                      |

| Ticket ID             | Category | Summary  | Target Releases  |
|-----------------------|----------|--|--|
|                       |          | shown in the web client of the<br>User performing parking.   |  |
| <a href="#">64250</a> | Bugfix   | Recurring warning message in<br>log:<br>ROUTE_CNT_DLG_CHECK<br><script>: Dialog *NOT*<br>managed     | mr12.5.1.258, mr12.5.2, mr13.5.1.62, mr13.5.2, mr14.0.1.30, mr14.0.2,<br>mr14.1.1.3, mr14.1.2, mr26.0.1                              |
| <a href="#">64256</a> | Bugfix   | Recurring warning message in<br>log: Error during branches<br>deletion. Maybe no forking<br>enabled? | mr12.5.1.257, mr12.5.2, mr13.5.1.61, mr13.5.2, mr14.0.1.29, mr14.0.2,<br>mr14.1.1.2, mr14.1.2, mr26.0.1                              |
| <a href="#">64441</a> | Bugfix   | MariaDB replica on proxy<br>nodes missing<br>mysql.time_zone% tables                                 | mr11.5.1.11, mr11.5.2, mr12.5.1.9, mr12.5.2, mr13.5.1.4, mr13.5.2,<br>mr14.0.1.2, mr14.0.2, mr14.1.1, mr26.0.1                       |
| <a href="#">58352</a> | Bugfix   | Peer registration sent via<br>wrong LB   | mr11.5.1.2, mr11.5.1.11, mr11.5.2, mr12.0.1, mr12.5.1.9, mr12.5.2,<br>mr13.5.1.4, mr13.5.2, mr14.0.1.2, mr14.0.2, mr14.1.1, mr26.0.1 |
| <a href="#">64240</a> | Bugfix   | [CSC] call page input bug  | mr11.5.1.31, mr11.5.2, mr12.5.1.61, mr12.5.2, mr13.5.1.13, mr13.5.2,<br>mr14.0.1.4, mr14.0.2, mr14.1.1, mr26.0.1                     |

| Ticket ID             | Category | Summary  | Target Releases  |
|-----------------------|----------|--|--|
| <a href="#">64380</a> | Bugfix   | [CSC] fix changed identifiers in mr14.1.1, mr26.0.1<br>faxsettings tests               |  |
| <a href="#">64359</a> | Bugfix   | Missing<br>'queue_waiting_music'<br>announcement in the default<br>portuguese soundset | mr12.5.1.3, mr12.5.2, mr13.5.1.4, mr13.5.2, mr14.0.1.3, mr14.0.2, mr26.0.1 |

#### Category: Change Request

|                       |                |  |   |
|-----------------------|----------------|--|---|
| <a href="#">64902</a> | Change Request | CSC: Change how the<br>infomation about the ring<br>timeout is referred to the<br>destinations | mr26.0.1, mr26.1.1  |
| <a href="#">64569</a> | Change Request | [CSC] Destination Priority   | mr12.5.2, mr13.5.1.18, mr13.5.2, mr14.1.1.6, mr14.1.2, mr26.0.1 |
| <a href="#">63026</a> | Change Request | Add new 'Query on Release'<br>(QoR) LNP type   | mr26.0.1, mr26.1.1  |
| <a href="#">64806</a> | Change Request | [CSC] Add Conference<br>settings   | mr26.0.1  |
| <a href="#">64576</a> | Change Request | /api/platforminfo return<br>default sip ports  | mr26.0.1  |

| Ticket ID                    | Category       | Summary  | Target Releases  |
|------------------------------|----------------|--|--|
| <a href="#">64589</a>        | Change Request | Filter the list of the available "rtp_interface" per site              | mr26.0.1   |
| <a href="#">64433</a>        | Change Request | add API v2 peering server multi site support                           | mr26.0.1   |
| <a href="#">64434</a>        | Change Request | /api/platforminfo include multisite information                        | mr26.0.1   |
| <b>Category: Improvement</b> |                |  |  |
| <a href="#">59936</a>        | Improvement    | Expose victoria metrics to mon_ext                                     | mr26.0.1, mr26.0.1.4, mr26.0.2, mr26.1.1   |
| <a href="#">64430</a>        | Improvement    | CSC: Make priorities configurable in CallForwarding definitions on CSC | mr26.0.1   |
| <a href="#">54566</a>        | Improvement    | TT#167050: Add support for spN nodes in collective-check               | mr10.4.1, mr10.5.1, mr11.5.1.9, mr11.5.2, mr12.4.1, mr12.5.1.8, mr12.5.2, mr13.5.1.5, mr13.5.2, mr14.1.1.2, mr14.1.2, mr26.0.1, mr26.0.1.3, mr26.0.1.5, mr26.0.2, mr26.1.1 |
| <a href="#">64952</a>        | Improvement    |  | mr26.0.1   |

| Ticket ID             | Category    | Summary   | Target Releases   |
|-----------------------|-------------|---|---|
|                       |             | Rework Multi Proxy call<br>dispatch with CloudPBX<br>module                           |   |
| <a href="#">64678</a> | Improvement | Remove unnecessary<br>preferences from PBX Seats<br>creation form and actions<br>menu | mr11.5.1.35, mr11.5.2, mr12.5.1.74, mr12.5.2, mr13.5.1.27, mr13.5.2,<br>mr14.1.1.12, mr14.1.2, mr26.0.1.4, mr26.0.2, mr26.1.1   |
| <a href="#">64596</a> | Improvement | [CSC] add tests for extension<br>settings   | mr26.0.1, mr26.1.1  |
| <a href="#">64737</a> | Improvement | Websocket: add make-call<br>request support to multi-<br>proxy                        | mr26.0.1, mr26.0.1.3, mr26.0.2, mr26.1.1  |
| <a href="#">64464</a> | Improvement | In case if pre-announce is<br>enabled, when call being<br>redirected no RBT heard     | mr12.5.1.260, mr12.5.1.261, mr12.5.1.273, mr12.5.2, mr13.5.1.64,<br>mr13.5.1.65, mr13.5.1.81, mr13.5.2, mr14.0.1.32, mr14.0.2, mr14.1.1.5,<br>mr14.1.1.21, mr14.1.2, mr26.0.1, mr26.0.1.3, mr26.0.2, mr26.1.1 |
| <a href="#">64170</a> | Improvement | ngcp-witnessd must use<br>kamctl instead of XMLRCP to<br>fetch stats                  | mr26.0.1  |

| Ticket ID             | Category    | Summary  | Target Releases   |
|-----------------------|-------------|--|---|
| <a href="#">64963</a> | Improvement | Add a prompt to ngcp-update, which will handle customtts/patchtts before config apply using new templates/cfg_schema | mr11.5.1.27, mr11.5.2, mr12.5.1.18, mr12.5.2, mr13.5.1.12, mr13.5.2, mr26.0.1.3, mr26.0.2, mr26.1.1   |
| <a href="#">63845</a> | Improvement | Should we set customer default rules prior default rules, generated by framework                                     | mr12.5.1.261, mr12.5.2, mr13.5.1.65, mr13.5.2, mr14.0.1.33, mr14.0.2, mr14.1.1.6, mr14.1.2, mr26.0.1, mr26.0.1.3, mr26.0.2, mr26.1.1  |
| <a href="#">64527</a> | Improvement | global: Improve security and hardening   | mr26.0.1  |
| <a href="#">64788</a> | Improvement | Investigate how to fix cve-2024-28345  | mr11.5.1.38, mr11.5.2, mr12.5.1.57, mr12.5.2, mr13.0.1.10, mr13.0.2, mr13.1.2, mr13.2.2, mr13.3.2, mr13.5.1.31, mr13.5.2, mr14.0.1.17, mr14.0.2, mr14.1.1.7, mr14.1.2, mr26.0.1 |
| <a href="#">64705</a> | Improvement | [CSC] Refactoring  | mr26.0.1  |
| <a href="#">64445</a> | Improvement | ngcpcfg sync-db helper<br>remove central db connection   | mr26.0.1  |
| <a href="#">64594</a> | Improvement |  |   |

| Ticket ID             | Category    | Summary  | Target Releases  |
|-----------------------|-------------|--|--|
|                       |             | fraud_preferences support for provisioning templates               | mr12.5.1.52, mr12.5.2, mr13.5.1.26, mr13.5.2, mr14.0.1.15, mr14.0.2, mr14.1.1.3, mr14.1.2, mr26.0.1  |
| <a href="#">64584</a> | Improvement | cash_balance, free_time_balance support for provisioning templates | mr12.5.1.52, mr12.5.2, mr13.5.1.26, mr13.5.2, mr14.0.1.15, mr14.0.2, mr14.1.1.3, mr14.1.2, mr26.0.1  |
| <a href="#">64761</a> | Improvement | prov templates: support processing files with just contract data   | mr12.5.1.52, mr12.5.2, mr13.5.1.26, mr13.5.2, mr14.0.1.15, mr14.0.2, mr14.1.1.3, mr14.1.2, mr26.0.1  |
| <a href="#">64514</a> | Improvement | global: Remove instances support                                   | mr26.0.1, mr26.1.1   |
| <a href="#">61101</a> | Improvement | Evacuation plan from KeyDB to Valkey                               | mr11.5.1.2, mr11.5.1.8, mr11.5.1.25, mr11.5.1.147, mr11.5.2, mr12.0.2, mr12.1.2, mr12.2.2, mr12.3.2, mr12.4.2, mr12.5.1.2, mr12.5.1.5, mr12.5.1.13, mr12.5.1.15, mr12.5.1.166, mr12.5.2, mr13.0.2, mr13.1.2, mr13.2.1, mr13.3.1, mr13.3.1.46, mr13.3.2, mr13.4.1, mr13.5.1.6, mr13.5.1.7, mr13.5.2, mr14.0.1.4, mr14.0.2, mr14.1.1, mr26.0.1 |
| <a href="#">62164</a> | Improvement | Websocket v2 add documentation                                     | mr26.0.1   |
| <a href="#">64612</a> | Improvement |  | mr26.0.1   |

| Ticket ID             | Category    | Summary  | Target Releases    |
|-----------------------|-------------|--|--------------------|
|                       |             | backport NodeJS 24 to<br>Debian/Trixie   |                    |
| <a href="#">64117</a> | Improvement | Add possibility to associate<br>peering servers to a specific<br>site in a geo-redundant setup                           | mr26.0.1           |
| <a href="#">64377</a> | Improvement | [CSC] Improve CF creation<br>flow  | mr26.0.1           |
| <a href="#">64936</a> | Improvement | Group all the subscriber/<br>domain/peer preferences<br>related to the number<br>portability in a new dedicated<br>group | mr26.0.1           |
| <a href="#">64854</a> | Improvement | Document in the handbook<br>the valkey database changes  | mr26.0.1, mr26.1.1 |
| <a href="#">64720</a> | Improvement | ngcp-task-agent bump deps<br>in requiriment.txt (debian/<br>trixie)  | mr26.0.1, mr26.1.1 |
| <a href="#">64519</a> | Improvement |  |                    |

| Ticket ID             | Category    | Summary   | Target Releases   |
|-----------------------|-------------|---|---|
|                       |             | Customise the default Wrap-up time in CallQueue   | mr11.5.1.34, mr11.5.2, mr12.5.1.73, mr12.5.2, mr13.5.1.24, mr13.5.2, mr14.1.1.10, mr14.1.2, mr26.0.1, mr26.1.1                          |
| <a href="#">64909</a> | Improvement | ngcp-sync-db<br>fix_db_schema() add multi site support  | mr26.0.1, mr26.1.1  |
| <a href="#">64899</a> | Improvement | [CSC & AUI] Security updates  | mr11.5.1.33, mr11.5.1.52, mr11.5.2, mr12.5.1.72, mr12.5.2, mr13.5.1.23, mr13.5.1.41, mr13.5.2, mr14.1.1.9, mr14.1.2, mr26.0.1, mr26.1.1 |
| <a href="#">64579</a> | Improvement | [AUI & CSC] Resolve vulnerabilities   | mr11.5.1.33, mr11.5.1.52, mr11.5.2, mr12.5.1.72, mr12.5.2, mr13.5.1.23, mr13.5.1.41, mr13.5.2, mr14.1.1.9, mr14.1.2, mr26.0.1           |
| <a href="#">63594</a> | Improvement | Add debug preference for the subscriber and peering   | mr14.0.1, mr14.1.1.2, mr14.1.1.12, mr14.1.2, mr26.0.1   |
| <a href="#">64363</a> | Improvement | [CSC] Enable/Disable CF   | mr26.0.1  |
| <a href="#">63920</a> | Improvement | Add a mechanism to prevent internal loop  | mr26.0.1  |
| <a href="#">61968</a> | Improvement | Create new domain/subscriber/peer preference to activate 'allow-asymmetric-codecs' rtpengine flag | mr26.0.1  |

| Ticket ID             | Category    | Summary   | Target Releases   |
|-----------------------|-------------|---|---|
| <a href="#">64301</a> | Improvement | add redis_ha_port<br>redis_ha_ro_port support                                       | mr26.0.1  |
| <a href="#">63650</a> | Improvement | Switch from systemd-<br>timesyncd to chrony/ntpd                                    | mr26.0.1  |
| <a href="#">55039</a> | Improvement | Simplify Header Manipulation  | mr26.0.1  |
| <a href="#">64530</a> | Improvement | Deprecate AWS AMIs  | mr26.0.1  |
| <a href="#">64632</a> | Improvement | replace fiproxy with tinyproxy  | mr26.0.1  |
| <a href="#">64787</a> | Improvement | Add on the old ngcp-panel a<br>banner reporting that it is not<br>supported anymore | mr26.0.1  |
| <a href="#">64630</a> | Improvement | [E2E] Remove selenium<br>references from versions<br>>mr11.5.x                      | mr12.5.1.68, mr12.5.2, mr13.5.1.20, mr13.5.2, mr14.1.1.8, mr14.1.2,<br>mr26.0.1 |
| <a href="#">64752</a> | Improvement | [AUI & CSC] Upgrade node<br>version to new 24 LTS                                   | mr26.0.1  |
| <a href="#">63239</a> | Improvement | Test upgrade rollback<br>procedure  | mr26.0.1  |
| <a href="#">64750</a> | Improvement |   | mr26.0.1  |

| Ticket ID             | Category    | Summary   | Target Releases  |
|-----------------------|-------------|---|--|
|                       |             | In case of multi-site architecture two valkey instances are needed: one replicated and the other not      |  |
| <a href="#">64853</a> | Improvement | Migrate redis config.yml configuration to constant.yml  | mr26.0.1   |
| <a href="#">64565</a> | Improvement | Subscriber Admin user should be able to configure CLIR per seat   | mr26.0.1   |
| <a href="#">64488</a> | Improvement | Impove logging of Concurrent_max inbound total calls  | mr26.0.1   |
| <a href="#">62339</a> | Improvement | New CSC - issues when having more than 24 devices registered on a page ( list of registrierte Endgeraete) | mr12.5.1.53, mr12.5.2, mr13.5.1.27, mr13.5.2, mr14.1.1.4, mr14.1.2, mr26.0.1 |
| <a href="#">63394</a> | Improvement | Sipwise to Sipwise and FWD to Ribbon/Mobile - A number  | mr26.0.1   |

| Ticket ID             | Category    | Summary  | Target Releases   |
|-----------------------|-------------|--|---|
|                       |             | appears in FWD leg CDR<br>instead of B number - PPA<br>request                   |   |
| <a href="#">63049</a> | Improvement | update websocket to full Elixir<br>18/OTP 27 support                             | mr13.4.1.2, mr13.4.2, mr13.5.1, mr13.5.1.4, mr13.5.2, mr14.1.1.3, mr14.1.2,<br>mr26.0.1 |
| <a href="#">64454</a> | Improvement | Create script to create posix<br>shell user in ngcp cluster                      | mr26.0.1  |
| <a href="#">64677</a> | Improvement | Unwanted CRLF in header<br>value.  | mr12.5.1.265, mr12.5.2, mr13.5.1.70, mr13.5.2, mr14.1.1.12, mr14.1.2,<br>mr26.0.1       |
| <a href="#">64749</a> | Improvement | kamailio 6.1.1 (trunk): remove<br>db berkeley support                            | mr26.0.1  |
| <a href="#">64732</a> | Improvement | Add an additional "location"<br>parameter for each site in the<br>sites.yml file | mr26.0.1  |
| <a href="#">64115</a> | Improvement | Per site peer probing in case<br>of geo-redundant setup                          | mr26.0.1  |
| <a href="#">64680</a> | Improvement | adapt haproxy.cfg for haproxy<br>3.0   | mr26.0.1  |

| Ticket ID             | Category    | Summary  | Target Releases  |
|-----------------------|-------------|--|--|
| <a href="#">64262</a> | Improvement | [AUI] Header manipulation wizard                                   | mr14.1.1, mr14.1.1.6, mr14.1.2, mr26.0.1   |
| <a href="#">64538</a> | Improvement | Add ID column to the security ban user page result                 | mr13.5.1.38, mr13.5.2, mr14.1.1.7, mr14.1.2, mr26.0.1  |
| <a href="#">64610</a> | Improvement | [E2E] Add group 3 tests  | mr12.5.1.37, mr12.5.2, mr13.5.1.23, mr13.5.2, mr14.1.1.2, mr14.1.2, mr26.0.1   |
| <a href="#">64615</a> | Improvement | improve ngcpcfg/helper/sync-db                                     | mr26.0.1   |
| <a href="#">64114</a> | Improvement | Filter the list of the available "outbound_socket" per site        | mr26.0.1   |
| <a href="#">64542</a> | Improvement | Add support for single extraction of custommts on carrier platform | mr12.5.1.32, mr12.5.2, mr13.5.1.15, mr13.5.2, mr14.1.1.3, mr14.1.2, mr26.0.1   |
| <a href="#">64521</a> | Improvement | SEMS: dont' look for the session factory for SIP OPTIONS           | mr13.5.1.7, mr13.5.2, mr14.1.1.3, mr14.1.2, mr26.0.1   |
| <a href="#">64018</a> | Improvement | Improvements for Geo-Redundant PRO solution                        | mr12.5.1.251, mr12.5.2, mr13.5.1.53, mr13.5.1.58, mr13.5.2, mr14.0.1.20, mr14.0.1.26, mr14.0.2, mr14.1.1, mr14.1.1.7, mr14.1.2, mr26.0.1 |

| Ticket ID             | Category    | Summary   | Target Releases   |
|-----------------------|-------------|---|---|
| <a href="#">64501</a> | Improvement | Subscriber Phonebook default filter   | mr13.5.1.16, mr13.5.2, mr14.0.1.8, mr14.0.2, mr14.1.1.4, mr14.1.2, mr26.0.1   |
| <a href="#">64335</a> | Improvement | Missing grants after ngcp-update - sems-b2b failed to start   | mr11.5.1.20, mr11.5.2, mr12.5.1.16, mr12.5.2, mr13.5.1.7, mr13.5.2, mr14.0.1.6, mr14.0.2, mr14.1.1.2, mr14.1.2, mr26.0.1  |
| <a href="#">64372</a> | Improvement | [CSC] Add possibility to create CFT   | mr26.0.1  |
| <a href="#">64416</a> | Improvement | [AUI & CSC] Fix axios vulnerability   | mr11.5.1.32, mr11.5.1.51, mr11.5.2, mr12.5.1.62, mr12.5.1.64, mr12.5.2, mr13.5.1.14, mr13.5.1.33, mr13.5.2, mr14.0.1.6, mr14.0.1.11, mr14.0.2, mr14.1.1, mr26.0.1 |
| <a href="#">64495</a> | Improvement | ROUTE_SET_COLP_IDENTITY: wrong xlog() level used  | mr12.5.1.259, mr12.5.2, mr13.5.2, mr14.0.1.31, mr14.0.2, mr14.1.1.4, mr14.1.2, mr26.0.1   |
| <a href="#">64320</a> | Improvement | CRRAINB-50810: The English notification: "Internal server error" is not accurate and should be replaced | mr12.5.1.256, mr12.5.2, mr13.5.1.59, mr13.5.2, mr14.0.1.27, mr14.0.2, mr14.1.1, mr26.0.1  |
| <a href="#">63613</a> | Improvement | [AUI] Migrate ncos levels and ncos patterns to API v2   | mr26.0.1  |

| Ticket ID             | Category    | Summary  | Target Releases    |
|-----------------------|-------------|--|--------------------|
| <a href="#">63705</a> | Improvement | [E2E] CSC Add role tests   | mr26.0.1           |
| <a href="#">54214</a> | Improvement | AUI: SubscriberDetails<br>(PBXSeat) - PBXGroups -<br>Migrate main page | mr14.1.1, mr26.0.1 |